#### Deliberative

# Environmental Context of Forestry, Salmon, and CZARA in Oregon

- Oregon's forestry program has not addressed key significant deficiencies over the last 15 years. According to state and federal studies, the problems 1) have caused and continue to cause temperature and sediment impairments and 2) continue to threaten ESA-listed coastal coho.
- There are over 6800 river miles in Oregon's coastal zone area impaired for temperature and sediment. Forestry makes up ~80% of the stream network in western Oregon and is a major contributor to temperature and sediment problems.
- The data from the ODF/DEQ 2002 sufficiency analysis and ODF's Ripstream studies (2002 2010) indicate that Oregon's forest practice rules contribute to water quality impairments. The 1995 Tri-State Botkin Report, the 1999 Oregon-Commissioned Independent Multidisciplinary Science Team, and NOAA's Coastal Coho Listing (2008) concluded that current Oregon FPA practices will not restore listed coastal coho populations. Insufficient riparian buffers, roads, and landslides in forestry are primary factors harming salmon.
- Washington and California have adopted forestry rules that address these problems; Oregon has
  made some progress since 1998 by adopting rules to reduce/eliminate landslides to protect public
  safety and adopted rules that apply to currently used roads. However, they have not gone as far as
  Washington and California to adopt forestry rules that adequately protect for water quality and fish.

Comparing Oregon, Washington and California General Forest Practices

Table 1. General Forestry Practices on State and Private Lands in Oregon, Washington, and California					
	Oregon	Washington	California		
Riparian Buffers					
Small and	20-foot no cut;	50-foot minimum no	50-150 foot management		
Medium Fish-	regulatory	cut; regulatory	area; regulatory		
Bearing					
Non-Fish	None	50-foot no cut;	Variable buffer width		
Bearing("Type N")		regulatory	determined by consulting		
			forester; regulatory		
Herbicide Spray Buffers Non-Fish Bearing ("Type N")					
Non-Fish Bearing	None	50-foot, no spray;	Variable buffer width by		
("Type N")		regulatory	consulting forester for		
			riparian buffer; regulatory		
Roads Management					
Road Types	New, Existing;	New, Existing,	New, Existing, Legacy;		
	voluntary program	Legacy; regulatory	regulatory		
	for legacy roads, no				
	publically available				
	inventory of extent				
	of problem, no				
	monitoring, tracking				
	or enforcement				
Landslides and Water Quality					
Resources	Public safety;	Public safety,	Public safety,		

#### Deliberative

Protected	regulatory	land and water	Land and water resources;
		resources;	regulatory
		regulatory	

### Additional Progress Needed

• **General CZARA Guidelines for Approval**: Two ways for states to have an approvable program: 1) regulatory program; **OR** 2) voluntary approach with program description, monitoring, tracking, and an enforceable authority to back up program. If the State chooses to pursue a voluntary approach, the State needs to identify state enforcement authorities that can be used to prevent nonpoint pollution and expressly commit to use those authorities if voluntary measures are not complied with or where necessary. The State needs to describe the mechanism or process that links the implementing agency with the enforcement agency.

## Reasonable Options for Oregon to Get to an Approvable CZARA Program

- Riparian Buffers
  - Medium and Small-Fish Bearing Streams: regulatory program
    - Deficiencies: Small no-cut buffer for small and medium fish-bearing streams.
       Creates temperature, erosion and sediment problems.
    - Examples of State Actions Needed: 1) Complete riparian rule by end of 2015 or mid-2016; 2) Rule should cover a broad range of medium and small-fish bearing streams; and 3) Range 80-100' no-cut buffers (as frame of reference, NMFS is seeking 150' no cut buffers for fish and non-fish perennial streams and 50' no cut buffers for intermittent streams in the BLM Western Oregon Plan Revision).
  - Small, Non-fish bearing streams: voluntary approach
    - Deficiencies: No buffers for non-fish bearing streams. Creates temperature, erosion and sediment problems for salmon spawning areas and downstream habitat.
    - Examples of State Actions Needed: 1) Range 50-100' no cut buffers (as frame of reference, NMFS is seeking 150' no cut buffers for fish and non-fish perennial streams and 50' no cut buffers for intermittent streams in the BLM Western Oregon Plan Revision); 2) Monitoring, tracking, and reporting similar to other ODF programs for other tree harvests; and 3) Explore ODF and DEQ general authorities for enforcing changes in critical areas when voluntary measures are not implemented.

### • Roads: voluntary approach

- Deficiencies: Does not include legacy roads. Voluntary program doesn't include monitoring and tracking.
- Examples of State Actions Needed: 1) Use voluntary approach to include legacy roads in road inventory; 2) Develop identification approach for universe of roads, including legacy roads having potential to deliver sediment to streams, 3) Develop ranking and inventory system, 4) Conduct evaluation, problem identification process and schedule for repairing problem roads, 5) Monitor and track voluntary measures. Examples could include those similar to WA's and IDs); 6) Identify ODF and DEQ general authorities for enforcing

#### Deliberative

changes in critical areas when voluntary measures are not implemented. (For effective voluntary approach, expect 1-6 as a package. All voluntary approaches need monitoring, tracking and identification of enforcement authorities that can be used if voluntary approach fails to achieve the desired results.)

- Landslides: voluntary approach
  - Examples of State Actions Needed: 1) Measures to protect landslide areas (numerous examples in attachment); 2) Voluntary programs to encourage forestry BMPs to protect high-risk landslide areas and ensure that roads are designed to minimize slope failure risk; 3) Monitor and track voluntary measures. Examples could include those similar to WA's and IDs); 4) Identify ODF and DEQ general authorities for enforcing changes in critical areas when voluntary measures are not implemented. (All voluntary approaches need monitoring, tracking and identification of enforcement authorities that can be used if voluntary approach fails to achieve the desired results.)
- Spray Buffers for Aerial Application of Herbicides on Non-Fish Bearing Streams: voluntary approach
  - Deficiencies: No spray buffer
  - Examples of State Actions Needed: 1) Adequate riparian protections for non-fish bearing streams may also be sufficient for herbicide spray buffers; OR 1) Revise ODF Notification of Operation form to add a check box for aerial applicators to adhere to FIFRA labels for all stream types; 2) Guidelines for voluntary buffer protections for aerial application of herbicides on non-fish bearing streams; 3) Monitor and track voluntary measures using existing pesticide regulations; 4) Explore ODF and DEQ general authorities for enforcing changes in critical areas when voluntary measures are not implemented.

**Note:** EPA and NOAA are still evaluating Oregon's agricultural program in the context of CZARA and public comments. Concerns include lack of specificity in Ag Water Quality Management Action Plan rules, no formal monitoring and tracking, and limited enforcement.